

Add:No.2Wulin Industry District, Tangxia Town, Ruian City, Zhejiang Province, China

Tel: 0086–577–65268958 Fax: 0086–577–65296539 E-mail: 1349118672@qq.com 3425645946@qq.com



DRYERS OURSELF







We invest every day together with you to achieve substainable targets.

Achieve 95% cost savings and 70% carbon footprint reduction by getting rid of paper towels and switching to our high-speed, energy-efficient hand dryers.



INTRODUCE

Made With Passion Made For You

Since 1999, Fanreign has been a specialist in the areas of the hand dryers and hair dryers. Many of our products, with their own design and development, are patented and count with an excellent recognition on the market.

Our own research and development department, which is made up of highly qualified engineers and includes a test laboratory for our products. A continuous strive for quality in our products, rigorous controls are carried out by our technicians during all phases of production, from single components to final tests.

We work day by day to optimize and continuously improve our products, to offer our customer greater competitive advantages and personalized attention.

CERTIFICATE

Products are designed, manufactured and commercialized in compliance with ISO 9001, and also include the most rigorous product certification such as: CE, RoHS and SASO.

























DESIGNED INNOVATIVELY

HIGH-PERFORMANCE PRODUCT





Comfortable, modern and quiet

Highspeed Hands-in FL-2026

Accomplish an efficient, quick and pleasant drying while give your hands the feeling of an enjoyable massage, the hand dryer is not only highly efficient but also stylish becoming a decorating element in your facility.

Product Features

- Save up to 80% costs compared to other drying systems, especially paper and cotton
- A double compressed air flow on both sides gives hands a pleasant massage
- Hygienic thanks to intelligent no touch infrared activating system
- Perfect drying in 10–12 seconds (depending by environment and use condition)
- Unique countdown LED display screen optimises drytime
- Soundproofing ensure the low noise pollution
- Heating element ON/OFF switch
- High-speed motor with safety thermal cut-off
- Removable water tank for cleaning and disinfection

Areas of application










IVI	a	te	rıa	II:	А	B








Voltage	220-240V
Frequency	50Hz-60Hz
Air Velocity	310km/h
Air Flow	187m³/h
Total Power	2000W
Motor Power	1300W
Heating Element Power	700W
r.p.m.	29000-33000
Weight	10kg
Sound Pressure(at 1m)	78dB
Drying Time	10-12sec
Protection Rating	IPX1



THE NEW GENERATION HAND DRYER Superior performance, attractive design, comfortable operation and flexible installation with great quality-price ratio




INSTALLATION

OUTLET NOZZLES



Option1
Wall base plate fixation




Option2

Mounting bracket and theft–
proof attachment



Option1

High efficient round air outlet



Option2
Invisible infrared sensor with aesthetically pleasing

New, stylish design and powerful

Highspeed reliable hand dryer FL-3005

The Hand dryers offer quick drying times and efficient use of power offering savings on power consumption makes this one of the most desirable hand dryers on the market.

Product Features

- Quality stainless steel construction
- Innovative outlet nozzles provide fast dry times of around 8–12 seconds
- Non-contact guarantee a maximum hygiene
- Unique noise reduction system
- Invisible infrared sensor with aesthetically pleasing
- Four silent-blocks to minimise vibrations and noise
- Disconnects automatically after 60 seconds of continuous use
- Blue LED light and HEPA air filter included as standard

Areas of application








Material: Stainless Steel 304



TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50Hz-60Hz
Air Velocity	288km/h
Air Flow	250m³/h
Total Power	1200W
Motor Power	650W
Heating Element Power	550W
r.p.m.	27000-31000
Weight	3.3kg
Sound Pressure(at 1m)	70dB
Drying Time	8-12sec
Protection Rating	IPX1



Unique, trendy and durable

Highspeed quiet hand dryer FL-2028

Hand dryer FL–2028 has all the features you would expect from us including quality build, high performance, energy and morden design that make it ideal for commercial locations.

Product Features

- Elegantly designed cover, manufactured in high impact ABS
- Soundproofing ensure the low noise pollution
- The High efficient round nozzle provides a super fast airflow
- Immediately warm air for a more comfortable drying experience with power saving
- The heating element includes a safety thermal cut-off
- Theft-proof attachment
- A great quality—price ratio
- Blue LED light and HEPA air filter included as standard

Areas of application









Material: ABS










TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	252km/h
Air Flow	180m³/h
Total Power	1200W
Motor Power	650W
Heating Element Power	550W
r.p.m.	27000-31000
Weight	2.2kg
Sound Pressure(at 1m)	73dB
Drying Time	10-12sec
Protection Rating	IPX1



Highspeed attractive hand dryer FL-2030

Hand dryer FL–2030 combines notable performance with an enjoyable design that creates a relaxing ambience at stylish hotels and restaurants.

Product Features


- Unique ABS & stainless steel design
- Side air intake to prevent dirty air and water recirculation
- High velocity hand dryer with a relatively low noise level of just 73 dB
- Energy-efficient thanks to rapid hand drying
- Slient-blocks to damp mechanical vibrations
- Sensor controlled safety switch-off after approx. 60 sec
- Easy installation, access and disassembly
- Blue LED light and HEPA air filter included as standard

Areas of application










Material: Stainless Steel 304 & ABS



TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	252km/h
Air Flow	180m³/h
Total Power	1200W
Motor Power	650W
Heating Element Power	550W
r.p.m.	27000-31000
Weight	2.5kg
Sound Pressure(at 1m)	73dB
Drying Time	10-12sec
Protection Rating	IPX1



Robust, durable and super fast

The vandal-proof hand dryer FL-3002

If you are looking for a compact, high speed hand dryer then the FL–3002 will be the ideal alternative which has keeping the trend with balance between low noise levels, energy efficiency and quick dry times.

Product Features

- Solid one piece weld free cover secured by anti-vandal screws
- The high efficient round nozzle provides a super fast airflow
- Immediately warm air for a more comfortable drying experience
- Eco-friendly product with low energy consumption
- Side air intake to prevent dirty air and water re-circulation
- Four silent-blocks to minimise vibrations and noise
- Blue LED light and HEPA air filter included as standard

Areas of application










Material: Stainless Steel 304



TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	252km/h
Air Flow	180m³/h
Total Power	1200W
Motor Power	650W
Heating Element Power	550W
r.p.m.	27000-31000
Weight	3kg
Sound Pressure(at 1m)	73dB
Drying Time	10-12sec
Protection Rating	IPX1



Unique, attractive and low-cost

Economical highspeed hand dryer FL-3003

With a strong anti–vandal, yet compact modern and stylish aluminium cover, blue LED light and HEPA air filter included as standard, this unit produces quick and effective drying that will not leave the user disappointed.

Product Features

- 2 mm thick aluminium base
- Side air intake to prevent dirty air and water recirculation
- Invisible infrared sensor with aesthetically pleasing
- Respectable dry times of 8 seconds
- A very quiet in operation just 70 dB
- Touch-free infrared, hand-freely and convenient to adults and kids
- System of automatic disconnection after 60 seconds of continuous use
- Blue LED light and HEPA air filter included as standard

Areas of application









Materiall: Aluminium







WHITE ENAMELLED COATING

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	288km/h
Air Flow	250m³/h
Total Power	1200W
Motor Power	650W
Heating Element Power	550W
r.p.m.	27000-31000
Weight	3.2kg
Sound Pressure(at 1m)	70dB
Drying Time	8-12sec
Protection Rating	IPX1





Ultra Slim, hygienic and energy efficient

The behind the mirror hand dryer FL-3007

FL–3007 is highly specified by architects and designers who want to add a sophisticated addition to a washroom by concealing the unit behind mirrors or other elegant enclosures. Just 9.9cms deep also recommended for limited space washrooms.

Product Features

- Compact unit, takes up very limited wall space
- Stainless steel cover makes the unit robust and increases its vandal protection
- Dual side HEPA notably improving the air quality
- High speed concentrated airflow dries hands in just 10 seconds
- Good balance between noise level and hand drying performance
- The heating element includes a safety thermal cut-off
- Lower energy consumption
- Sensor controlled safety switch—off after approx. 60 sec

Areas of application










Material: Stainless Steel 304



TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	270km/h
Air Flow	220m³/h
Total Power	1000W
Motor Power	450W
Heating Element Power	550W
r.p.m.	29000-33000
Weight	2.45kg
Sound Pressure(at 1m)	75dB
Drying Time	10-12sec
Protection Rating	IPX1



Competitive, small and reliable

Highspeed compact hand dryer FL- 3008

FL-3008 is well constructed giving robust properties, yet very light at just 2.35Kg, making it suitable to be hung on most wall types. It also has a small wall footprint so ideal when space is at a premium.

Product Features

- Durable stainless steel vandal resistant cover, secured by 4 security screws
- Dual side HEPA provide clean and fresh air
- 33000rmp motor that guarantees fully drying of the hands in a few seconds
- Unique noise reduction system
- Significantly lower costs compare to paper towels
- The heating element includes a safety thermal cut-off
- The base includes silent-blocks to cushion mechanical vibrations
- Flexible installation make maintenance more efficient

Areas of application








Material: Stainless Steel 304



BRIGHT

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	270km/h
Air Flow	220m³/h
Total Power	1000W
Motor Power	450W
Heating Element Power	550W
r.p.m.	29000-33000
Weight	2.35kg
Sound Pressure(at 1m)	75dB
Drying Time	10-12sec
Protection Rating	IPX1



Ultra fast, vandal-proof

Highspeed heavy-duty hand dryer FL- 3012

FL–3012 has the right balance between performance and price, the optimised air outlet nozzle concentrates the airflow for both effective and rapid hand drying.

Product Features

- Durable stainless steel vandal resistant cover, secured by 4 security screws
- Invisible infrared sensor with aesthetically pleasing
- One of the most powerful air flows on the market within its class of machine
- Unique noise reduction system
- Significantly lower costs compare to paper towels
- The heating element and motor have built-in safety thermal cut-off
- Blue LED light and HEPA air filter included as standard
- Easy cleaning and maintenance

Areas of application








Material: Stainless Steel 304

BRIGHT

TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	342km/h
Air Flow	270m³/h
Total Power	1400W
Motor Power	800W
Heating Element Power	600W
r.p.m.	24000-28000
Weight	6.2kg
Sound Pressure(at 1m)	78dB
Drying Time	10-12 sec
Protection Rating	IPX1





Intelligent, quiet and powerful

Ergonomic design hand dryer FL-2006

FL–2006 is a budget priced, energy efficient hand dryer packed with great features. The intelligent technology automatically regulates the temperature of the air output between 3 levels signaled by indicator lights which helps to create a particularly pleasant hand drying process.



Product Features

- Intelligent 3 temperature settings provide pleasant massaging effect on the hands
- Cover made of high quality, vandal resistant ABS and modern design
- Ultra-fast drying speed only 10–12 seconds
- A standard filter for dust and particles
- Good balance between noise level and hand drying performance
- Eco-friendly product with low energy consumption
- The heating element includes a safety thermal cut-off
- Sensor safety switch-off after 60 seconds



Material: ABS

E	SILVER	GOLDEN


Signalling of 3 operating states

The hot airflow quickly remove water from hands

The warm airflow gives hands a pleasant massage and hand drying process

The cool airflow helps to create a perfect drying effect

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	210km/h
Air Flow	150m³/h
Total Power	1200W
Motor Power	500W
Heating Element Power	700W
r.p.m.	25000-29000
Weight	2.4kg
Sound Pressure(at 1m)	75dB
Drying Time	10-12sec
Protection Rating	IPX1



Great Combination

Ergonomic design hand dryer FL-2010

Building on the original features of its predecessor, FL–2010 has equipped with a dynamic LED temperature display. The attractive looks will complement the decoration of hotels, restaurants and offices where not only speed of drying but also elegant design are the main criteria.

Product Features

- Equipped with a dynamic LED temperature display
- Intelligent 3 temperature settings provide pleasant massaging effect on the hands
- Cover made of high quality, vandal resistant ABS and modern design
- Ultra-fast drying speed only 10–12 seconds
- A standard filter for dust and particles
- Good balance between noise level and hand drying performance
- The heating element includes a safety thermal cut-off
- Sensor safety switch-off after 60 seconds





Signalling of 3 operating states

The hot airflow quickly remove water from hands

The warm airflow gives hands a pleasant massage and hand drying process


The cool airflow helps to create a perfect drying effect

Temperature Display



TECHNICAL SPECIFICATIONS

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	210km/h
Air Flow	150m³/h
Total Power	1200W
Motor Power	500W
Heating Element Power	700W
r.p.m.	25000-29000
Weight	2.6kg
Sound Pressure(at 1m)	75dB
Drying Time	10 -12sec
Protection Rating	IPX1



Ultra Slim, hygienic and energy efficient

The behind the mirror hand dryer FL-2007

FL–2007 is highly specified by architects and designers who want to add a sophisticated addition to a washroom by concealing the unit behind mirrors or other elegant enclosures. Just 9.9cms deep also recommended for limited space washrooms.

Product Features

- New design Extremely slim unit, just 9.9 cm deep
- Cover made of high quality, vandal resistant ABS and modern design
- Dual side HEPA notably improving the air quality
- High speed concentrated airflow dries hands in just 10seconds
- Good balance between noise level and hand drying performance
- The heating element includes a safety thermal cut-off
- Lower energy consumption
- Sensor controlled safety switch—off after approx. 60 sec.

Areas of application










Material: ABS



SILVER

Voltage	220-240V
Frequency	50/60Hz
Air Velocity	270km/h
Air Flow	220m³/h
Total Power	1000W
Motor Power	450W
Heating Element Power	550W
r.p.m.	29000-33000
Weight	1.8kg
Sound Pressure(at 1m)	73dB
Drying Time	10-12sec
Protection Rating	IPX1





Innovative, compact and economical

Ultra-small hand dryer FL-2009

The innovative, smallest high-speed hand dryer with outstanding feature: Ultra-fast dries hands in just 10 seconds. Extremely compact dimensions smaller than an A4 envelope allow you to fit this unit into the smallest of washroom areas


Product Features

- Compact dimensions smaller than an A4 envelope
- The base includes silent-blocks to cushion mechanical vibrations
- A standard filter that removes dust and particles from the air taken into the unit
- 32000rmp motor that guarantees fully drying of the hands in a few seconds
- Immediately warm air for a more comfortable drying experience with power saving
- The heating element includes a safety thermal cut-off
- Theft-proof attachment
- One minute overtime protection

Areas of application



Voltage	220-240\
Frequency	50/60Hz
Air Velocity	190km/h
Air Flow	140m³/h
Total Power	1000W
Motor Power	350V
Heating Element Power	650W
r.p.m.	28000-32000
Weight	1.5kg
Sound Pressure(at 1m)	80dE
Drying Time	10-15sed
Protection Rating	IPX1



FL-2000

Voltage: 220–240v,50/60Hz

Rated Power: 1800W

Air Flow: 54Km/h


Weight: 2.2 kg

Pcs/Ctn: 8

Cbm/Ctn: 58x56x54cm







FL-2003

Voltage :220–240v,50/60Hz

Rated Power:1400W


Air Flow: 54km/h


Weight: 2.9 kg

Pcs/Ctn: 4

Cbm/Ctn:57x34x41cm







FL-2020

Voltage: 220–240v,50/60Hz

Rated Power: 1200W

Air Flow: 125km/h


• Weight: 3.7kg

• Pcs/Ctn: 4

Cbm/Ctn: 63x52x45cm







FL-2012

Voltage: 220–240v,50/60Hz

Rated Power: 1200W

Air Flow: 125km/h


Weight: 3.3kg

Pcs/Ctn: 4

Cbm/Ctn: 60x31.5x47.5cm







FL-2018

Voltage: 220–240v,50/60Hz

Rated Power: 1200W

Air Flow: 125km/h


Weight: 4.2 kg

Pcs/Ctn: 4

Cbm/Ctn: 60x59x49cm







FL-2023

Voltage: 220–240v,50/60Hz

Rated Power: 1000W


Air Flow: 100 km/h

Weight: 2.1 kg

Pcs/Ctn: 10

Cbm/Ctn: 48x25x65cm





Wall hung | Wall

Hand-held Hair dryer with a functional, compact and trendy design.

Thanks to their size, can be easily stored on the wall with a wall bracket that blends into any space perfectly such as hotel business, spas, public baths and sports facilities.



These hair dryers have a speed regulator that allows the best drying function to be chosen at any given time. Its push button requires the user constantly pressing it, so that the unit works just when necessary, ensuring safety and cost saving. They incorporate all the relevant safety and vandal proof measure for trouble–free operation in the high traffic areas.

FL-2205 / 2206 provide powerful drying with an eco-friendly consumption and a great range of adjustable settings for added users' comfort. It has designed two options of temperature, two airflow speeds in one switch for more easy operation, safety and vandalism resistance.





PRODUCT FEATURES

FL-2205 / FL-2206

Powerful long-life AC motor

White Nylon & elegant chrome finish

Max. power 1850W

2 Speed / heat settings

Push-release button

Extra long coiled cable, 240 cm extendable

Overheating protection

Areas of application










TECHNICAL SPECIFICATIONS


Voltage	220-240V,50/60Hz
Rated Power	1850W
Air Flow	65km/h
Weight	1.2kg
Pcs/Ctn	20
Cbm/Ctn	55.5x45.5x59.5cm

Material: Nylon



PRODUCT DIMENSIONS





FL-2201

Foldable handle easy and convenient to carry

2 speed settings and heat settings

The nozzle ensures a uniform and powerful air flow

Safety temperature limiter

Voltage: 220-240V,50/60Hz

Rated Power: 1600W


Air Velocity: 54km/h

Weight: 0.55kg

Pcs/Ctn: 40

Cbm/Ctn: 54x44x44cm





FL-2112

White ABS & elegant chrome finish

With safety Press & hold push button

On/off power switch on the hair dryer holder

2heat settings

Voltage: 220-240V,50/60Hz

Rated Power: 1600W


Air Velocity: 54km/h

Weight: 0.85kg

Pcs/Ctn: 20

Cbm/Ctn: 55.5x45.5x59.5cm





FL-2101A

- 2 Speed settings
- Safety thermal cut-off
- Press & hold button for extra safety
- On & off switch on the hair dryer holder (optional)

Voltage: 220-240V,50/60Hz

Rated Power: 1300W Air Velocity: 54km/h Weight: 0.8kg Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm



FL-2115

- 2 heat settings
- Safety thermal cut-off
- Push-release button for cost saving
- Safety wall bracket with shaver sockets

Voltage: 220-240V,50/60Hz Rated Power: 1600W


Air Velocity: 54km/h


Weight: 0.88kg

Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm







FL-2106

- 2 heat settings
- Safety thermal cut-off
- Push-release button
- Safety wall bracket with shaver sockets protected by a transparent plastic


Voltage: 220-240V, 50/60Hz


Rated Power:1600W Air Velocity: 54km/h

Weight: 0.98kg Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm








FL-2113

- 2 heat settings
- Overheating protection
- With safety on/off push button
- supplied with a secure shaver socket on wall-base

Voltage: 220-240V,50/60Hz Rated Power: 1600W Air Velocity: 54km/h Weight: 1.05kg

Cbm/Ctn: 51x51x54.4cm





FL-2111


Pcs/Ctn: 20

- 2 Speed settings
- Safety overheat protection
- Push-release button for cost saving
- Wall mount holds dryer securely in place

Voltage: 220-240V,50/60Hz Rated Power: 1300W Air Velocity: 54km/h Weight: 0.65kg Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm






FL-2100

- 2 Speed settings
- Push-release button
- Overheating protection
- Safety wall bracket with power cut-off switch

Voltage: 220-240V,50/60Hz Rated Power: 1300W Air Velocity: 54km/h Weight: 0.75kg Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm






FL-2102

- 2 Speed settings
- Push-release button
- Safety wall bracket with shaver sockets and power cut-off switch protected by a transparent plastic box
- Nightlight
- Safety overheat protection

Voltage: 220-240V,50/60Hz Rated Power: 1300W Air Velocity: 54km/h Weight: 0.9kg Pcs/Ctn: 20







FL-2103

- 2 Speed Settings;
- On/off power switch on the hair dryer holder
- Automatically Shuts Off When Placed in Base
- Supplied with a removable concentrator nozzle
- Safety thermal cut-off

Voltage: 220-240V,50/60Hz

Rated Power: 1600W


Air Velocity: 54 km/h

Weight: 0.67kg

Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm





FL-2105

- 2 speed settings
- ON-OFF safety switch button with nightlight on wall-base.
- Push-release button
- Overheating protection

Voltage: 220-240V,50/60Hz

Rated Power: 1300W

Air Velocity: 54km/h

Weight: 0.8kg

Pcs/Ctn: 20

Cbm/Ctn: 52x38x51cm



